

Purified Rabbit Anti-mouse Lymphotactin

Catalog Number: TP204

Lot Number: 072515

Content: Protein A purified rabbit IgG, 200 µg, with 0.1% sodium azide, lyophilized.

(Reconstitute to 1 mg/ml by adding 200 µl PBS)

Product Description and Usage: For research use only. This neutralizing polyclonal antibody, which reacts with mouse lymphotactin, was generated using *E. coli*-expressed amino acid 1-92 of mature mouse lymphotactin as an immunogen. The tested titer for Western blot is 1:2,000; for immunoprecipitation, use 1:500.

Cross-reactivity to lymphotactin of other species has not been determined.


Storage Condition: 4°C for short term storage or -20°C in small aliquots for long term storage. Avoid repeated freeze and thaw.

Background: Lymphotactin is the only C chemokine so far identified which has a single cysteine residue near the amino terminus. It has 114 amino acids with a 22 amino acids signal peptide. It is produced in activated CD8⁺ T cells¹ and NK cell². Lymphotactin attracts both T lymphocytes and NK cells.

References:

Torrey Pines Biolabs, Inc.
9073 Knight Road
Houston, TX 77054
email: tpbi@chemokine.com

Tel: (713) 383-8144
Toll-free: (866) 383-8144
Fax: (713) 383-8142
web: www.chemokine.com



1. Kelner, G.S. et al. (1994) Lymphotactin: a cytokine that represents a new class of chemokine. *Science* 266:1395-1399
2. Hedrick, J.A. et al. (1997) Lymphotactin is produced by NK cells and attracts both NK cells and T cells in vivo. *J Immunol* 158:1533-1540